

## SPRAYS

# SPRAYS

SPRAY HEADS

## SPRAY HEADS FAMILY

### STANDARD MODELS

#### 63XA



#### STANDARD

- High impact corrosion resistant construction with stainless steel metal components.
- Dome cap design will ensure sand and debris flushes away from the riser to provide for longer life.
- Double lipped wiper seal will help keep debris away from the riser.
- ½" (12,7 mm) bottom inlet is standard on all models.
- All models can be upgraded with an anti-drain valve (ADV) and the new iStop™.
- Standard male thread on the riser.
- All models can be upgraded to use iStop™ with installation of retrofit kit 63XR.

Compatible with **iStop™** \* Sold Separately

#### 63XB



#### WITH ADV

- The 63XB series comes with all the same great features as the standard 63XA model with the addition of the anti-drain valve (ADV).
- The anti-drain valve (ADV) will prevent low head drainage and prevent flooding or erosion.
- Will hold back up to 10 ft (3 m) difference in elevation.
- All models can be upgraded to use iStop™ with installation of retrofit kit 63XR.

Compatible with **iStop™** \* Sold Separately

#### 63S



- High impact corrosion resistant construction with stainless steel metal components.
- Double lipped wiper seal will help keep debris away from the riser.
- ½" (12,7 mm) bottom inlet is standard on all models.
- Standard male thread on the riser.

#### NOZZLES



- Wide range of matched precipitation fixed spray.
- Color coded bodies for easy identification.
- Multi-arc nozzles from 8 ft – 17 ft (2.4 m – 5.2 m) radius that can be adjusted from 0° - 360°.
- Wide variety of special pattern nozzles.
- Fixed spray nozzles from 8 ft – 15 ft (2.4 m – 4.6 m) radius in all the various patterns.



# SPRAY HEADS

## ADVANCED MODELS USING iStop™

### 63XC iStop™



#### WITH iStop™

- The 63XC series comes with all the same great features as the standard 63XA model with the addition of the new iStop™ feature.
- The new iStop™ saves water by stopping the flow of water on broken or damaged heads as well as stopping the flow of water during nozzle maintenance.

### 63XD iStop™



#### WITH iStop™ AND PR

- The 63XD series comes the with the iStop™ feature and the addition of a pressure regulating valve.
- The new iStop™ saves water by stopping the flow of water on broken or damaged heads as well as stopping the flow of water during nozzle maintenance.
- The pressure regulator maintains optimum nozzle performance and prevents misting.

### 63XE iStop™



#### WITH iStop™, PR AND ADV

- The 63XE series comes the with the iStop™ feature, a pressure regulating valve, and a factory installed anti-drain valve (ADV).
- The new iStop™ saves water by stopping the flow of water on broken or damaged heads as well as stopping the flow of water during nozzle maintenance.
- The pressure regulator maintains optimum nozzle performance and prevents misting.
- The anti-drain valve (ADV) will prevent low head drainage and prevent flooding or erosion.
- Will hold back up to 10 ft (3 m) difference in elevation.

### 63XR iStop™

#### iStop™ RETROFIT KITS



- Retrofit any existing 6300 sprayhead with new iStop™.
- Shuts off if riser is broken
- Shuts off if nozzle is removed
- The new iStop™ saves water by stopping the flow of water on broken or damaged heads as well as stopping the flow of water during nozzle change out.

# SPRAY HEADS OVERVIEW

SPRAY HEADS

APPLICATIONS	iStop™		iStop™		iStop™	
	63XA	63XB	63XC	63XD	63XE	63S
TURF GRASS)	✓	✓	✓	✓	✓	✓
GROUND COVER	✓	✓	✓	✓	✓	✓
RESIDENTIAL	✓	✓	✓	✓	✓	✓
RECLAIMED WATER	✓	✓	✓	✓	✓	✓
COMMERCIAL/MUNICIPAL	✓	✓	✓	✓	✓	✓
HIGH TRAFFIC AREAS			✓	✓	✓	
HIGH VANDALISM AREAS			✓	✓	✓	
WATER CONSERVATION — iStop™			✓	✓	✓	

FEATURES						
ANTI-DRAIN VALVE (ADV)	(Opt.)*	✓	(Opt.)*	(Opt.)*	✓	(Opt.)*
PRESSURE REGULATION				✓	✓	
WATER CONSERVATION — iStop™			✓	✓	✓	

\*Field Retrofit Option



FOR MORE INFORMATION

## SIGNATURE CONTROL SYSTEMS, INC.

[www.SignatureControlSystems.com](http://www.SignatureControlSystems.com)

### WORLD HEADQUARTERS

16485 Laguna Canyon Rd., Suite 130 • Irvine • California • 92618  
Tel: 949.580.3640 • Fax: 949.580.3645

### MANUFACTURING FACILITY

8800 N.Allen Rd., • Peoria • Illinois • 61615  
Tel: 949.580.3640 • Fax: 949.580.3645

### EUROPE & MIDDLE EAST

5 rue de la Vallee Yart • 78640 Saint Germain de la Grange • France  
Tel: +33.13.489.9056 • Fax: +33.13.489.6025

### USA TOLL FREE:

**8 6 6 . 4 S I G N A T U R E**